AD-A056 033

STANFORD UNIV CALIF EDWARD L GINZTON LAB
TUNABLE LASERS AND COHERENT LIGHT TECHNIQUES FOR HIGH RESOLUTIO--ETC(U)
MAY 78 T W HAENSCH
GL-2812

LOG / ADA
056033

STANFORD UNIV CALIF EDWARD L GINZTON LAB
TUNABLE LASERS AND COHERENT LIGHT TECHNIQUES FOR HIGH RESOLUTIO--ETC(U)
N00014-75-C-0841
NL

END
PATE
PIMED
8 -78
DOC

Tunable Lasers and Coherent Light Techniques for High Resolution Ultraviolet Spectroscopy

Final Technical Report.

1 April 1975 - 31 March 1978,

Contract No. N00014-75-C-0841

G. L. Report No. 2812

(1) May 1078

(13) 7 P.

THE SHELL EN

Principal Investigator

T. W. Hinsch

Department of Physics, Stanford University

Stanford, California 94305

THIS DOCUMENT IS PEST QUALITY PRACTICABLE.
THE COPY FURTICISES TO GOT CONTAINED A
SIGNIFIC STEED FOR ET PACES WATCH DO NOT
REPORT OF THE PACES WATCH DO NOT

This document has been school in

Reproduction in whole or in part is permitted for any purpose of the United States Government

E. W. Ginzton Laboratories
W. W. Hansen Laboratories of Physics
Stanford University
Stanford, California
94305

449 64\$


he

DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DDC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

CONTENTS

- A. Technical Summary
- B. Reports and Publications



A. Technical Summary

Under the sponsorship of ONR we have explored and developed new coherent light techniques and instrumental systems for high resolution laser spectroscopy in the ultraviolet spectral region. This work has benefited from the interaction with another research program, sponsored by the National Science Foundation. A detailed summary can be found in the Technical Reports No. 4, 5, and 6 (1-3)*, which have been submitted to the U.S. Office of Naval Research Physics Program Office. The reports and technical papers published during the contract period and credited to ONR support are listed in section B. This section summarizes the most important technical accomplishements:

- a) A dye laser oscillator-amplifier system has been developed, which combines high monochromaticity, a good spatial beam quality, and a wide linear tuning range with high peak power. This laser permits the efficient generation of narrowband tunable ultraviolet radiation by second harmonic generation and frequency mixing in nonlinear crystals and gases.
- b) We have studied the 1S-2S transition of atomic hydrogen by Doppler-free two-photon spectroscopy with the frequency-doubled output of the pulsed dye laser oscillator-amplifier system. The experiments have provided the first accurate measurement of the Lyman alpha isotope shift for hydrogen and deuterium. We have also compared the 1S-2S interval with the n=2-4 interval, by simultaneously recording a Doppler-free saturation spectrum of

the visible Balmer beta line with the fundamental dye laser output. This comparison has yielded the first precise measurement of the 1S ground state Lamb shift (5).

- c) We have developed the technique of laser polarization spectroscopy, a new method of Doppler-free spectroscopy which can greatly exceed the sensitivity of saturated absorption spectroscopy (6).
- d) We have demonstrated the possibility of unraveling complex molecular absorption spectra by polarization labeling. This new method identifies all absorption lines with a common lower level (7).
- e) The high power, monochromaticity, and wide tuning range of our gas pressure tuned dye laser oscillator amplifier system has permitted us to record Doppler-free two-photon spectra of normal and deuterated benzene with unprecedented resolution. Computer fits of the observed rotational contours have provided new accurate molecular constants (8).
- f) We have developed a tunable dye laser system with improved spectral brightness and output power by combining a single frequency cw dye laser oscillator with a multistage pulsed dye laser amplifier (12)
- g) Using this new laser for Doppler-free spectroscopy of atomic hydrogen and deuterium, we have obtained new precision values of the 1S-2S isotope shift and the 1S Lamb shift, and have qualitatively confirmed the existence of the

theoretically predicted relativistic nuclear recoil shift (12).

- h) We have demonstrated a novel technique of high resolution laser spectroscopy, using coherent two-photon excitation with multiple light pulses. Quantum interference effects result in narrow resonances, similar to Ramsey fringes. The method holds promise for Doppler-free spectroscopy in the vacuum ultraviolet (9,13,14).
- *) Footnote: the references in parentheses refer to the list of reports and publications in section B.

- B. Reports and Publications
- 1) "Ultranarrowband Tunable Dye Laser for New Approaches to Atomic Spectroscopy," by T. W. Hansch, ONR Technical Report No.4, M.L. Report No. 2511, Stanford, December 1975.
- 2) "Ultranarrowband Tunable Dye Laser for New Approaches to Atomic Spectroscopy," by T. W. Hansch, ONR Technical Report No.5, G.L. Report No. 2543, Stanford, December 1976.
- 3) "Tunable Lasers and Coherent Light Techniques for High Resolution Ultraviolet Spectroscopy," by T. W. Hansch, ONR Technical Report No.6, G.L. Report No. 2758, Stanford, December 1977.
- 4) "Powerful Dye Laser Oscillator Amplifier System for High Resolution Spectroscopy," by R. Wallenstein and T. W. Hansch, Opt. Communications 14, 353 (1975)
- 5) "Hydrogen IS-2S Isotope Shift and IS Lamb Shift Measured by Laser Spectroscopy," by S. A. Lee, R. Wallenstein, and T. W. Hansch, Phys. Rev. Letters 35, 1262 (1975)
- 6) "Doppler-Free Laser Polarization Spectroscopy," by C. Wieman and T. W. Hansch, Phys. Rev. Letters 36, 1170 (1976)

- 7) "Simplification of Spectra by Polarization Labeling," by R. Teets, R. Feinberg, T. W. Hansch, and A. L. Schawlow, Phys. Rev. Letters 37, 683 (1976)
- 8) "High Resolution Two-Photon Spectroscopy in the 182u State of Benzene," by J. Lombardi, R. Wallenstein, T. W. Hansch, and D. M. Friedrich, J. Chem. Physics 65, 2357 (1976)
- 9) Applications of High Resolution Laser Spectroscopy," by T. W. Hansch, in "Tunable Lasers and Applications," A. Mooradian, T. Jaeger, and P. Stokseth, Eds., Springer Series in Optical Sciences, Vol. 3, pp. 326 (1976)
- 10) "Lasers, Light and Matter," by A. L. Schawlow, J. Opt. Soc. Am. 67, 140 (1977)
- 11) "New Methods of Laser Spectroscopy," by T. W. Hansch, in Proceedings of Laser 77 / Optoelectronics Conference, W. Waidelich, Ed., IPC Science and Technology Press, 1977, pp. 108
- 12) "Precision Measurement of the Ground State Lamb Shift in Hydrogen and Deuterium," by C. Wieman and T. W. Hansch, in "Laser Spectroscopy III.," J. L. Hall and J. L. Carlsten, Eds., Springer Series in Optical Sciences, Vol. 7, pp. 39 (1977)
- 13) "Multiple Coherent Interactions," by T. W. Hansch, in "Laser

Spectroscopy III.," J. L. Hall and J. L. Carlsten, Eds., Springer Series in Optical Sciences, Vol. 7, pp. 149 (1977)

- 14) "Coherent Two-Photon Excitation by Multiple Light Pulses," by R. Teets,
- J. Eckstein, and T. W. Hansch, Phys. Rev. Letters 38, 760 (1977)